



230 VAC



POWER CABLE



WWW



MODEM ROUTER



NAS



PoE AP
802.3af




PoE+ PTZ IP
802.3at




PC

IPTV



DVR

SMART SWITCH



NORMAL FUNCTION

All connected Ethernet ports can communicate with each other.
This is the default switch setting




695021304-GES10P-NORM

GIGABIT ETHERNET SWITCHES
SAMPLE APPLICATIONS

230 VAC



POWER CABLE



VLAN NORM EXT



PoE+


1 2 3 4 5 6 7 8

9 10

GES10P

Gigabit Smart PoE+ Switch

PWR



MODEM ROUTER

WWW



Increased connection distance connected to port 8



Increased connection distance connected to port 7



SMART SWITCH



EXT

EXTENDED FUNCTION

Allows to increase the connection distance, only for the selected ports 7 and 8, up to 250 meters.




695021304-GES10P-EXT

GIGABIT ETHERNET SWITCHES
SAMPLE APPLICATIONS

230 VAC



POWER CABLE




PC-1



PC-8

X



MODEM ROUTER

WWW



SMART SWITCH



VLAN FUNCTION

All connected Ethernet ports are isolated from each other. PC-1 and PC-8 both have Internet connection but cannot contact each other



695021304-GES10P-VLAN

GIGABIT ETHERNET SWITCHES
SAMPLE APPLICATIONS